



61

AF 1617

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:) Atty. Dkt. No. 00.05.12.1
Steven B. Laramay and) Art Unit: 1617
John H. Schneider)
Serial No. 09/770,931) Examiner: Gina C. Yu
Filing Date: January 26, 2001)
Title:) Duncan, Oklahoma 73534
ENCAPSULATED COMPOSITIONS) Date: November 5, 2003

RESPONSE TO SECOND FINAL REJECTION

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

RECEIVED

NOV 14 2003

TECH CENTER 1600/2900

Sir:

The following remarks are presented in response to the Second Final Rejection mailed September 23, 2003.

Claim Status

Claims 16-30 and 32-35 are pending. Claims 29, 32 and 33 have been withdrawn from consideration. Accordingly, claims 16-28, 30, 34 and 35 stand rejected. The claim pattern is attached hereto as Enclosure A.

Invention

This invention is an article of manufacture comprised of a capsule and a chemical composition. The capsule comprises a membrane wall surrounding a hollow interior. The composition is enclosed in the hollow interior of the capsule. The membrane wall is permeable to water and aqueous solutions, but is not soluble in aqueous liquids. The composition enclosed in the hollow interior of the capsule is, preferably, a solid, water-soluble chemical. The composition is not reactive with, soluble in nor a solvent for the membrane wall.

In use, the exterior surface of the capsule is placed in contact with a liquid containing water. The membrane wall is not reactive with, soluble in nor a solvent for liquid in contact with the exterior surface of the capsule. The water diffuses through the membrane wall, contacts and dissolves the composition in the interior of the capsule. The composition, now in aqueous solution, then diffuses through the membrane wall to the exterior of the capsule. During the diffusion, which can extend over a period of time, the capsule remains intact. It does not burst. The transfer of the composition from the interior of the capsule through the membrane wall to the exterior of the capsule is gradual in nature. The transfer is not sudden in nature.

38 ART REJECTIONS

39 The rejection of claims 16-28, 30, 34 and 35 under 35 U.S.C. 103(a) as being obvious
40 over Mitchell et al (US 5,741,433) in view of Vijayendran et al (US 5,173,526) is traversed for
41 the following reasons.

42 The previous Office Action mailed May 12, 2003, rejected claims 16, 17 and 21 under
43 35 U.S.C. 103(a) as being obvious over Mitchell et al in view of Vijayendran et al. The balance
44 of the claims were rejected in view of references which are now apparently withdrawn. There
45 are no reasons of record to support the current rejection. The Examiner has provided no
46 reason for now stating that claims 18, 19, 20, 22, 23, 24, 25, 26, 27, 28, 30, 34 and 35 are also
47 obvious under Mitchell and Vijayendran. It is, accordingly, submitted that **claims 18,19, 20, 22,**
48 **23, 24, 25, 26, 27, 28, 30, 34 and 35 are allowable.**

49 The membrane wall, as set forth in independent **claim 16**, is comprised of a
50 urethane/vinyl hybrid polymer which is disclosed in U.S. Patent 5,173,526 to Vijayendran, the
51 secondary reference relied upon by the Examiner to reject the claims of this application. The
52 urethane/vinyl hybrid polymer can be cross-linked with any number of materials including
53 polyaziridine. In this regard, dependent **claims 19, 22, 24, 25, 30, 34 and 35** specifically
54 mention cross-linking with polyaziridine. Vijayendran does not disclose that the urethane/vinyl
55 hybrid polymer can be or should be cross-linked.

56 The solid, water-soluble chemical composition enclosed in the hollow interior of the
57 capsule, as set forth in dependent **claim 17**, is selected from a variety of materials included in a
58 Markush group. These materials are, thus, included in all claims which depend from **claim 17**.
59 In this regard, dependent **claims 21, 23, 26 and 27** specifically state the particle size of the
60 chemical composition to be in the range of from about 10 to about 60 mesh US Sieve Series
61 which includes sieve openings in the range extending from 0.0097 inches to 0.078 inches. The
62 primary reference relied upon by the Examiner, Mitchell et al (US 5,741,433), discloses that the
63 pellets enclosed by his material have a diameter in the range of from about 0.0313 inches to
64 about to about 3 inches. The Mitchell pellets are very large.

65 The membrane wall can consist of a first material, the mentioned urethane/vinyl hybrid
66 polymer, and it can consist of the first material in combination with a second material. In the
67 latter case, the combination is referred to as a composite material wherein the first material
68 forms a matrix which supports the second material. The second material is a particulate solid.
69 The second material is different from the first material. The second material is not reactive with,
70 soluble in nor a solvent for the first material or the composition enclosed in the capsule. The
71 particle size of the second material, which is greater than submicron, is an important feature of
72 the invention. There is no reference which discloses or suggests that limitation. Dependent
73 **claim 18**, and those which depend therefrom, is drawn to the composite material.
74 **Accordingly, claims 18, 20, 22, 23, 25, 27, 28, 30 and 34 are drawn to subject matter not**
75 **disclosed and not suggested by any reference of record.**

76 The second material is selected from a variety of materials included in a Markush group
77 as set forth in dependent **claim 20**. One specific second material is silica as set forth in
78 dependent **claim 28**.

79 Mitchell does not disclose or suggest "a polyurethane-vinyl polymer dispersion" and,
80 accordingly, cannot suggest that a polyurethane-vinyl polymer dispersion is useful as a film
81 former having controlled release properties. (Mitchell, col. 3, lines 43-45, col. 6, lines 1-5)

82 In contrast, Applicants claim a hollow capsule which contains a chemical composition,
83 wherein the wall of the capsule is a membrane comprised of a polyurethane-vinyl polymer
84 dispersion. In the invention of Applicants, an aqueous liquid diffuses through the membrane
85 wall to the interior of the capsule, dissolves the chemical composition to form a solution which
86 then diffuses through the membrane wall to thereby release the composition from the interior of
87 the capsule. Applicants discovered this property of a membrane wall made with the
88 polyurethane-vinyl polymer dispersion and realized its utility in a capsule having controlled
89 release properties. Mitchell did not make or suggest that discovery and made no suggestion of
90 the utility.

91 Mitchell, in Table 2, discloses a variety of specific compositions including at least two
92 which, "were not acceptable coating materials due to the sticky nature of the polymers" and two
93 which, "were found to be non film formers." The two "sticky" polymers were vinyl polymers.
94 One of the "non film formers" was a vinyl polymer. Table 2 of Mitchell also listed two
95 polyurethanes, but no working example is provided, and no comment is made with regard to the
96 utility of a polyurethane as a coating material.

97 Mitchell makes no suggestion that a combination of the sticky/non film former vinyl with
98 the polyurethane would produce a satisfactory membrane. It is submitted that the factual data
99 actually provided by Mitchell teaches away from such a combination. Mitchell does not suggest
100 "a polyurethane-vinyl polymer dispersion" and it is not reasonable to assert that he does. The
101 negative teaching of Mitchell is clearly indicated by the disclosed sticky nature and lack of utility
102 of some vinyl polymers and the notable absence of any display of enthusiasm for polyurethane.

103 Mitchell stated, "Any type of coating material conventionally known in the art which
104 provides controlled-release properties may be used in the present invention." (Col. 3, lines 43-
105 45) In this regard, the composition disclosed and claimed by Vijayendran was known in the art
106 on the date that Mitchell et al filed their application. **However, there is no indication in**
107 **Mitchell or Vijayendran that the composition of Vijayendran on that date was**
108 **"conventionally known in the art" to be a coating material which provides controlled-**
109 **release properties.** Mitchell failed to recognize the utility and the Patent Office placed the two
110 patents in two different technical classifications. It was left to Applicants to discover the utility of
111 the composition disclosed by Vijayendran.

112 Vijayendran discloses a flexible surface made from a urethane/vinyl hybrid polymer
113 dispersion which will protect a substrate such as paper, metals, plastics and wood from
114 solvents, corrodants and abrasives. There is no suggestion in that specific teaching that **the**
115 **composition of Vijayendran was "conventionally known in the art" to be a coating**
116 **material which provides controlled-release properties.** Inherent in this teaching is the
117 requirement that water shall not pass through the surface to contact the substrate. Vijayendran
118 does not teach and does not suggest the use of his composition as a membrane wall of a
119 capsule.

120 It is well accepted in the law of obviousness that a reference must clearly suggest to a
121 person skilled in the art to combine the disclosure of that reference with the disclosure of
122 another in order to fairly suggest the claim of an invention. What is resident in the disclosures
123 of Mitchell and Vijayendran to suggest that a combination of the two would produce the
124 invention claimed herein? Nothing. The teaching is contained in the disclosure of Applicants.
125 That teaching cannot be employed by the Examiner in hindsight.

126 What do Mitchell et al desire?

127 A membrane wall which will permit water to pass through it from the exterior into the
128 interior of the capsule, and through it from the interior to the exterior of the capsule.

129 What do Vijayendran et al desire?

130 A flexible surface which will protect a substrate, such as paper, metals, plastics, and
131 wood, from solvents, corrodants and abrasives. Inherent in this desire is a requirement that
132 water shall not pass through the surface to thereby contact the substrate.

133 What is the novel aspect of Mitchell et al?

134 Based upon the content of claim 1, it is clear that the only novel aspect of Mitchell et al
135 is a polymeric coating material for a capsule, "comprising terpolymers containing vinyl acetate,
136 vinyl versatate, and alkyl(meth)acrylate monomer subunits."

137 What do Mitchell et al fail to disclose?

138 A membrane wall comprised of a urethane/acrylic hybrid polymer.

139 Crosslinking anything.

140 Anticoalescents.

141 What do Vijayendran et al fail to disclose?

142 The use of a urethane/acrylic hybrid polymer as a membrane wall of a capsule.

143 Given the above, what is the reason to combine Mitchell and Vijayendran? The two
144 patents solve different problems. The two patents employ different chemistry to solve the
145 different problems. What is disclosed in Mitchell to suggest to a person skilled in the capsule
146 art to combine Mitchell and Vijayendran to obtain a capsule? Similarly, what is disclosed in
147 Vijayendran to suggest to a person skilled in the capsule art to combine Mitchell and
148 Vijayendran to obtain a capsule which will permit water to pass through its wall from the exterior
149 into the interior, and through the wall from the interior to the exterior? Vijayendran disclose a
150 urethane/vinyl hybrid polymer to protect what is plainly a planar substrate, such as paper, from
151 a solvent. There is no suggestion in Vijayendran that water will diffuse through a film made with
152 that polymer. Mitchell and Vijayendran are in different classes of art. The only connection
153 between Mitchell and Vijayendran is found in the disclosure of this invention.

154 THERE IS NO REASON TO COMBINE MITCHELL AND VIJAYENDRAN. THE
155 EXAMINER HAS IMPROPERLY EMPLOYED THE DISCLOSURE OF THIS INVENTION AS A
156 GUIDE TO REJECT THE CLAIMS OF THIS INVENTION. THE REJECTION IS FATALLY
157 FLAWED AND SHOULD BE WITHDRAWN.

158 Specific Response to Comments of Examiner

159 Contrary to the assertions of the Examiner, the sticky polymer disclosed by Mitchell is
160 not the polymer disclosed by Vijayendran.

161 That the polymer of Vijayendran can be employed as claimed herein does not "flow
162 naturally" from the disclosure that the polymer forms a flexible surface which will protect a
163 substrate, such as paper, metals, plastics, and wood, from solvents, corrodants and abrasives.


164 The Examiner has completely misread the disclosures of Vijayendran and applicants.
165 Neither disclosure says anything about the permeability of the polymer itself. Vijayendran talks
166 about a coating which is applied by "conventional flexographic or gravure methods." Applicants
167 talk about a film made by a fluidized bed process. The techniques are different. One produces
168 a coating which obviously resists diffusion. The other produces a film featuring a coating which
169 is not continuous. The film has imperfections and, therefore, does not resist diffusion. In this
170 regard claim 1 talks about a membrane which is permeable. There is nothing in the claim which
171 says anything at all about the permeability of the material itself.

172 The "good balance" argument asserted by the Examiner is **specious**. Vijayendran did
173 state that his coating has good balance. That statement cannot be interpreted to mean that
174 Vijayendran deliberately placed defects in his continuous coating. Such defects would certainly
175 defeat the purpose of his protective coating. If Vijahendran had really intended to manufacture
176 his protective coating in such a way as to compromise the integrity of the coating, then he
177 would have been explicit. Remember, Vijahendran specifically disclosed a coating which is
178 applied by "conventional flexographic or gravure methods." He said nothing about modifying
179 the coating or the method of making it.

180 There is nothing in the art that specifically teaches that a protective coating, such as
181 taught by Vijayendran, also permits diffusion. If there is, then the Examiner has not cited it.

182
183 This application is in condition for allowance. Reconsideration and allowance is
184 requested.


185 Respectfully submitted,

186 
187 Thomas R. Weaver
188 Registration No. 25,613

189 Post Office Box 1405
190 Duncan, Oklahoma 73534
191 Telephone: (580) 255-6911

CERTIFICATE OF MAILING

I hereby certify that the within and foregoing document, together with the attachments referred to therein, if any, is being deposited by the undersigned with the United States Postal Service as first class mail in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450 on the date written just below my signature.



Thomas R. Weaver


Registration No. 25,613


Date



ENCLOSURE A

CLAIM PATTERN



09/06/2003
09/06/2003
09/06/2003